

References Exclusivity- Calgary October 2016

1. Abbass-Dick J, Stern SB, Nelson LE, Watson W & Dennis CL (2015). Coparenting breastfeeding support and exclusive breastfeeding: A randomized controlled trial. *Pediatrics*, 135, 102–110.
2. Academy of Breastfeeding Medicine (2011). Clinical protocol #10: Breastfeeding the late preterm infant (34^{0/7} to 36^{6/7} weeks gestation). *Breastfeeding Medicine*, 6 (3), 151-156.
3. Academy of Breastfeeding Medicine Protocol Committee (2008). Clinical protocol #5: Peripartum breastfeeding management for the healthy mother and infant at term. *Breastfeeding Medicine*, 3 (2), 129-132.
4. Academy of Breastfeeding Medicine Protocol Committee (2008). Clinical protocol #6: Guideline on co-sleeping and breastfeeding, *Breastfeeding Medicine*, 3 (1), 38-43.
5. Academy of Breastfeeding Medicine Protocol Committee (2009). Clinical protocol #3: Hospital guidelines for the use of supplementary feedings in the healthy term breastfed neonate. *Breastfeeding Medicine*, 4 (3), 175-182.
6. Academy of Breastfeeding Medicine protocol committee (2010). ABM Clinical Protocol #7: Model Breastfeeding Policy (Revision 2010). *Breastfeeding Medicine*, 5 (4), 173-177.
7. Adams, ED & Bianchi, AL (2008). A Practical Approach to Labor Support, *JOGNN*, 37 (1), 106-115.
8. Agency for Healthcare Research & Quality (2007). *Breastfeeding and maternal and infant health outcomes in developed countries*. Evidence report No.07-E007. Rockville (MD): United States Department of Health & Human Services. Available at: <http://www.ahrq.gov/clinic/tp/brfouttp.htm>.
9. Aizawa, M Mizuno K & Tamura M (2010). Neonatal sucking behavior: Comparison of perioral movement during breastfeeding and bottle feeding. *Pediatrics International*, 52, 104-108.
10. Akre J (2016). Breastfeeding: One man's perspective. *The Huffington Post*, US edition, June 27.
11. American Academy of Pediatrics, Section on breastfeeding (2012). Breastfeeding and the use of human milk. *Pediatrics*, 129 (3), e827-e841.
12. Anderson JW, Johnstone BM & Remley DT (1999). Breast-feeding and cognitive development: A meta-analysis. *American Journal of Clinical Nutrition*, 70 (4), 525-535.
13. Anim-Somuah, M, Smyth, R & Howell, C (2005). Epidural versus non-epidural or no analgesia in labour. *Cochrane Database Review System*, 19 (4).
14. Arenz S, Ruckert R, Koletzko B et al. (2004). Breast-feeding and childhood obesity-A systematic review. *Int J Obesity Relat Metab Disord*, 28 (10), 1247-1256.
15. Aune D, Norat T, Romundstad P & Vatten LJ (2014). Breastfeeding and the maternal risk of type 2 diabetes : A systematic review and dose-response meta-analysis of cohort studies. *Nutr Metab Cardiovasc Diseases*, 24 (2), 107-115.
16. Bachrach VR, Schwarz E & Bachrach LR (2003) Breastfeeding and the risk of hospitalization for respiratory disease in infancy: a meta-analysis. *Archives of Pediatrics & Adolescent Medicine* **157**, 237–243.
17. Baerug A, Langsrud O, Loland BF, Tufte E, Tylleskar T & Fretheim A (2016). Effectiveness of Baby-friendly community health services on exclusive breastfeeding and maternal satisfaction : A pragmatic trial. *Maternal and Child Nutrition*, available ahead of print : DOI: 10.1111/mcn.12273.
18. Ball, T & Wright A (1999). Health care costs of formula-feeding in the first year of life. *Pediatrics*, 103(4), 870-876.

19. Bartick M (2010). Having a baby in the ideal and the real United States: http://www.huffingtonpost.com/melissabartick/ipeacefulrevolutionimot_b_536659.html?ref=b&src=sp
20. Bartick M & Reinhold A (2010). The burden of suboptimal breastfeeding in the United States : A pediatric cost analysis. *Pediatrics*, 125, e1048-e1056.
21. Bartick MC, Stuebe AM, Schwarz EA et al. (2013). Cost analysis of maternal disease associated with suboptimal breastfeeding. *Obstetrics & Gynecology*, 122, 111-119.
22. Beaudry M, Chiasson S, et Lauzière J (2006). *Biologie de l'allaitement., Le sein, le lait, le geste*. Québec: Presses de l'Université du Québec.
23. Beilin, Y, Bodian, CA, Weiser, J, Hossain, S, Arnold, I, Feirman, DE, et al. (2005). Effect of labor epidural analgesia with and without fentanyl on infant breastfeeding : a prospective, randomized, double-blind study. *Anesthesiology*, 103, 1211-1217.
24. Beiranvand S, Valizadeh F, Hosseinabadi R & Pournia Y (2014). The effects of skin-to-skin contact on temperature and breastfeeding successfulness in full-term newborns after caesarean delivery. *International Journal of Pediatrics*, volume 2014, article ID 846486, 7 pages. <http://dx.doi.org/10.1155/2014/846486>.
25. Bell, AF, White-Traut, R & Medoff-Cooper, B. (2010). Neonatal neurobehavioral organization after exposure to maternal epidural analgesia in labor. *JOGNN*, 39 (2), 178-190.
26. Beral V (2002). Breast cancer and breastfeeding : Collaborative reanalysis of individual data from 47 epidemiological studies in 30 countries, including 50302 women with breast cancer and 96973 women without the disease, *The Lancet*, 360 (9328), 187-195.
27. Blair PS, Sidebotham P, Evason-Coombe C, Edmonds M, Heckstall-Smith EMA & Fleming P. (2009). Hazardous cosleeping environments and risk factors amenable to change : Case-control study of SIDS in South-West of England. *British Medical Journal*, 339-366.
28. Bodner-Adler, B, Bodner, K, Kimberger, O, Wagenbichler, P, Kaider, A, Husslein, P & Mayerhofer, K. (2003). The effect of peridural analgesia on obstetric lacerations and neonatal outcomes during spontaneous vaginal delivery. *Arch Gynecol Obstet*, 267 (3), 130-133.
29. Bonuck K, Stuebe A, Barnett J, Labbok MH, Fletcher J & Bernstein PS (2014). Effect of primary care intervention on breastfeeding duration and intensity. *Am J Public Health*, 104 (Suppl 1), S119–S127.
30. Brancato, RM, Church, S & Stone, PW (2008). A meta-analysis of passive descent versus immediate pushing in nulliparous women with epidural analgesia in the second stage of labor. *JOGNN*, 37 (1), 4-12.
31. Braun MG, Giugliani ERJ, Soares ME, Giugliani C, de Oliveira AP & Danelon CM (2003). Evaluation of the impact of the Baby-Friendly Hospital Initiative on rates of breastfeeding. *Am J Public Health*, 93(8), 1277-1279.
32. Breastfeeding Committee for Canada (2011). BFI Integrated 10 Steps practice indicators for hospitals and community health services. Available in English and French at www.breastfeeding.ca
33. Britton C (1998). The influence of antenatal information on breastfeeding experiences. *British Journal of Midwifery*, 6, 312-315.
34. Brown A (2016). What do women really want? Lessons for breastfeeding promotion and education. *Breastfeeding Medicine*, 11 (3), 102-110.
35. Buckley S (2005). Leaving well alone : A natural approach to the third stage of labour.. Available free at : www.sarahbuckley.com
36. Buckley S (2005). Getting a good night of sleep : Another perspective. Available free at : www.sarahbuckley.com
37. Buckley S (2005). Epidurals : Risks and concerns for mother and baby. Available free at : www.sarahbuckley.com
38. Butte NF, Lopez-Alarcon MG et Garza C (2002). *Nutrient adequacy of exclusive breastfeeding for the term infant during the first six months of life*. Geneva: WHO.

39. Bystrova K, Widström A-M, Matthiesen A-S, Ransjö-Arvidson A-B, Welles-Nyström B, Vorontsov I & Uvnäs-Moberg K (2007). Early lactation performance in primiparous and multiparous women in relation to different maternity home practices : A randomised trial in St.Petersburg. *International Breastfeeding Journal*, 2, 9
40. Bystrova K (2008). *Skin-to-skin contact and suckling in early postpartum : Effects on temperature, breastfeeding and mother-infant interaction. A study in St.Petersburg, Russia*. Doctoral thesis, Department of Woman and Child health, Division of Sexual, Reproductive and Perinatal health, Karolinska Institutet, Stockholm, Sweden.
41. Cardwell CR, Stene LC, Ludvigsson J et al (2012). Breast-feeding and childhood onset of type 1 diabetes: A pooled analysis of individual participant data from 43 observational studies. *Diabetes Care*, 35 (11), 2215-2225.
42. Casey R-C, Hartman S and the Academy of Breastfeeding Medicine (2015). Clinical protocol #19: Breastfeeding promotion in the prenatal setting, *Breastfeeding Medicine*, 10 (10), 451-457.
43. Cattaneo A (2008). The benefits of breastfeeding or the harm of formula feeding? Editorial comment, *Journal of Paediatrics and Child Health*, 44, 1-2.
44. Cattaneo A & Buzzetti R (2001). Effect on rates of breast feeding of training for the Baby Friendly Hospital Initiative. *BMJ*, 323, 1358-1362.
45. Cattaneo A, Williams C, Pallas-Alonso CR, Hernandez-Aguilar MT, Lasarte-Velillas JJ, Landa-Rivera L, Rouw E, Pina M, Volta A & Oudesluys-Murphy AM (2011). ESPGHAN's 2008 recommendations for early introduction of complementary foods : How good is the evidence? *Maternal and Child Nutrition*, 7, 335-343.
46. Chalmers B, Dzakpasu S, HeaMAN m, Kaczorowski J, for the Maternity experiences study group of the Canadian Perinatal Surveillance System, Public Health Agency of Canada(2008). The Canadian Maternity Experiences Survey: An overview of the findings, *J Obstet Gynaecol Can*, 30 (3), 217-228.
47. Chang, ZM & Heaman, MI (2005). Epidural analgesia during labor and delivery : effects on the initiation and continuation of effective breastfeeding. *J Human Lactation*, 21 (3), 305-314.
48. Chantry CJ, Eglash A & Labbok M (2015). ABM position on breastfeeding. *Breastfeeding Medicine*, 10 (9), 407-411.
49. Chantry CJ, Dewey KG, Peerson JM, Wagner EA & Nommsen-Rivers LA (2014). In-hospital formula use increases early breastfeeding cessation among first-time mothers intending to exclusively breastfeed. *Journal of Pediatrics*, 164, 1339-1345.
50. Chantry CJ, Howard CR & Auinger P (2007). Full breastfeeding duration and risk for iron deficiency in U.S. infants. *Breastfeeding Medicine*, 2,63-73.
51. Chantry CJ, Howard CR & Auinger P (2006). Full breastfeeding duration and associated decrease in respiratory tract infection in US children. *Pediatrics*, 117 (2), 425-432.
52. Chantry CJ, Nommsen-Rivers L, Peerson J, Cohen R & Dewey K (2011). Excess weight loss in first-born breastfed newborns relates to maternal intrapartum fluid balance. *Pediatrics*, 127(1), e171-e179.
53. Chaparro CM & Lutter CK (2009). Incorporating nutrition into delivery care: Delivery care practices that affect child nutrition and maternal health. *Maternal and Child Nutrition*, 5, 322-333.
54. Chapman DJ (2012). Longer cumulative breastfeeding duration associated with improved bone health. *Journal of Human Lactation*, 28 (1), 18-19.
55. Chen A & Rogan W (2004). Breastfeeding and the risk of postneonatal death in the United States. *Pediatrics*, 113 (5), e-435-e439.
56. Chen H, Wang J, Zhou W, Yin H & Wang M (2015). Breastfeeding and the risk of rheumatoid arthritis : A systematic review and meta-analysis. *Journal of Rheumatology*, 42 (9), 1563-1569.

57. Chertok IRA, Raz I, Shoham I, Haddad H & Wiznitzer A (2009). Effects of early breastfeeding on neonatal glucose levels of term infants born to women with gestational diabetes. *Journal of Human Nutrition and Dietetics*, 22, 166-169.
58. Chien PF & Howie PW (2001). Breast milk and the risk of opportunistic infection in infancy in industrialized and non-industrialized settings. *Adv Nutr Res*, 10, 69-104.
59. Chowdhury R, Sinha B, Sankar MJ, et al. Breastfeeding and maternal health outcomes: a systematic review and meta-analysis. *Acta Paediatr Suppl* 2015; 104: 96–113.
60. Clark, SL, Simpson, KR, Knox, GE & Garite, TJ (2009). Oxytocin: new perspectives on an old drug. *Am. J. Obstet Gynecol.*, 200 (1), 35.e1-6. Collaborative Group on Hormonal Factors in Breast Cancer. Breast cancer and breastfeeding: collaborative reanalysis of individual data from 47 epidemiological studies in 30 countries, including 50 302 women with breast cancer and 96973 women without the disease. *Lancet* 2002; 360: 187–95.
61. Cloherty M, Alexander J & Holloway I (2004). Supplementing breast-fed babies in the UK to protect their mothers from tiredness or distress. *Midwifery*, 20, 194-204.
62. COMET (2001). Effect of low-dose mobile versus traditional epidural techniques on mode of delivery: a randomised controlled trial. *The Lancet*, 35 (July), 19-23.
63. Critch JN (2013). Nutrition for healthy term infants, birth to six months: An overview. *Paediatric and Child Health*, 18 (4), 206-207. Position statement reaffirmed 2016, joint statement by Health Canada, the Canadian Pediatric Society, Dietitians of Canada and the Breastfeeding Committee for Canada. Available at www.hc-sc.gc.ca/fn-an/nutrition/infant-nourrisson/recom/index-eng.php.
64. Critch JN (2014). Nutrition for healthy term infants, six to 24 months: An overview. *Paediatric and Child Health*, 19 (10), 547-549. Joint position statement by Health Canada, the Canadian Pediatric Society, Dietitians of Canada and the Breastfeeding Committee for Canada. Available at www.hc-sc.gc.ca/fn-an/nutrition/infant-nourrisson/index-eng.php.
65. DaMota K, Banuelos J, Goldbroom J, Vera-Beccera L & Heinig MJ (2012). Maternal request for in-hospital supplementation of healthy breastfed infants among low-income women. *Journal of Human Lactation*, 28 (4), 476-482.
66. Daniels JL, Olshan AF, Pollock BH, Shah NR & Stram DO (2002). Breast-feeding and neuroblastoma, USA and Canada. *Cancer Causes and Control*, 13 (5), 401–405.
67. Davanzo R, Cannioto Z, Ronfani L, Monasta L & Demarini S (2013). Breastfeeding and neonatal weight loss in healthy term infants. *Journal of Human Lactation*, 29, 45-53.
68. Declerq E, Labbok MH, Sakala C & O'Hara M (2009). Hospital practices and women's likelihood of fulfilling their intention to exclusively breastfeed. *American Journal of Public Health*, 99 (5), 929-935.
69. Dellifraigne J, Langabeer J, Williams JF, Gong AK, Delgado RI, & Gill SI (2011) Cost comparison of Baby-Friendly and non-Baby-Friendly hospitals in the United States. *Pediatrics*, 127 (4), e989-e994.
70. Demirci JR, Bogen DL, Holland C, Tarr JA, Rubio D, Li J, Nemecek M & Chang JC (2013). Characteristics of breastfeeding discussions at the initial prenatal visit. *Obstet Gynecol* 122 (6), 1263–1270.
71. Dennis C-L (1999). Theoretical underpinnings of breastfeeding confidence: a self-efficacy framework. *Journal of Human Lactation*, 15, 195-201
72. Dennis C-L (2001). Breastfeeding Initiation and duration: A 1990-2000 Literature Review, *JOGNN*, 31 (1), 12-32.
73. Dennis CL, Hodnett E, Gallop R & Chalmers B (2002). The effect of peer support on breast-feeding duration among primiparous women: a randomized controlled trial. *CMAJ*, 166, 21–8.
74. Der G, David BG & deary IJ (2006). Effect of breast feeding on intelligence in children: Prospective study, sibling pairs analysis, and meta-analysis. *BMJ*, 333 (7575), 945.

- 75.Devroe, S, De Coster, J & Van de Velde, M (2009). Breastfeeding and epidural analgesia during labor. *Current Opinion in Anesthesiology*, 22 (3), 327-329.
- 76.Dewey KG, Nommsen-Rivers LA, Heinig MJ & Cohen RJ (2003). Risk factors for suboptimal infant breastfeeding behavior, delayed onset of lactation, and excess neonatal weight loss. *Pediatrics*, 112 (3 Pt 1), 607–619.
- 77.Dewey KG, Cohen RJ, Brown KH et Rivera LL (1999). Age of introduction of complementary foods and growth of term, low-birth-weight, breast-fed infants: A randomized intervention study in Honduras, *American Journal of Clinical Nutrition*, 69 (4), 679-686.
- 78.Dewey KG, Cohen RJ, Brown KH & Rivera LL (2001). Effects of exclusive breastfeeding for four versus six months on maternal nutritional status and infant motor development: Results of two randomized trials in Honduras. *Journal of Nutrition*, 131 (2), 262-267.
- 79.Dieterich CM, Felice JP, O’Sullivan E & Rasmussen KM (2013). Breastfeeding and health outcomes for the mother-infant dyad. *Pediatric Clinics of North America*, 60 (1), 31-48.
- 80.DiGirolamo AM, Grummer-Strawn LM & Fein SB (2008). Effect of maternity-care practices on breastfeeding. *Pediatrics*, 122 (Suppl. 2), S43–S49. doi:10.1542/peds.2008-1315e.
- 81.Duijts L, Jaddoe VWV, Hofman A & Moll HA (2010). Prolonged and exclusive breastfeeding reduces the risk of infectious diseases in infancy. *Pediatrics*, 126, e18-e25.
- 82.Dumas L (2009). Allaitement maternel exclusif : est-ce si important? (Exclusive breastfeeding : Is it so important?). *Le pédiatre belge*, 11 (3), 66-72.
- 83.Dumas L. (2014). *Et si on parlait d’allaitement et de ce qui le favorise (Talking about breastfeeding and what encourages it?)?*, Presentation to physicians from Drummondville region in Quebec, Drummondville, November.
- 84.Dumas L (2012). *Et si on parlait des risques du non-allaitement? (Can we discuss risks of non-breastfeeding?)*, Presentation upon invitation in 7 hospitals, birthing homes and community health centers in Outaouais region, Western Quebec Public Health.
- 85.Dumas L (2016). Skin-to-skin at birth and mother-baby togetherness : The safest transition for mother and baby. *Capacity building webinar to the members of the BCC Board, Assessment committee and members at large*. January.
- 86.Dumas L (2016). Step 10 : Collaboration and networking for families. *Capacity building webinar to the members of the BCC Board, Assessment committee and members at large*. March.
- 87.Dumas, L (2002). Focus groups to reveal parents’ needs for prenatal education. *Journal of Perinatal Education*, 11 (3), 1-9.
- 88.Embleton ND & Ward-Platt MP (2003). Management of hypoglaecemia in the newborn. *Current Pediatrics*, 13, 134-139.
- 89.Evans A, Marinelli KA, Taylor JS and the Academy of Breastfeeding Medicine (2014). Protocol #2: Guidelines for hospital discharge of the breastfeeding term newborn and mother:”The going home protocol”. *Breastfeeding Medicine*, 9 (1), 3-8.
- 90.Fairbank L et al. (2000). A systematic review to evaluate the effectiveness of interventions to promote the initiation of breastfeeding. *Health Technology and Assessment*, 4 (25).
- 91.Flett GG (2013). Analgesia in labour: Induction and maintenance. *Anesthesia and Intensive Care Medicine-Obstetric Anesthesia*, 14 (), 276-279.
- 92.Food and Nutrition Board & Institute of Medicine (2000). *Dietary reference intakes for vitamin A, vitamin K, arsenic, boron, chromium, copper, iodine, iron, manganese, molybdenum, nickel, silicon, vanadium, and zinc*. Washington DC: National Academy press.
- 93.Forster DA, Johns HM, McLachlan HL, Moorhead AM, McEgan KM & Amir LH (2015). Feeding infants directly at the breast during the postpartum hospital stay is associated with increased breastfeeding at 6 months postpartum: a prospective cohort study, *BMJOpen*, 5, e007512.

94. Forster D, McLachlan H, Lumley J, Beanland C, Waldenstrom U & Amir L (2004). Two mid-pregnancy interventions to increase the initiation and duration of breastfeeding: a randomized controlled trial. *Birth*, 31, 176–82.
95. França-Botelho A do C, Ferreira MC, França JL, França EL & Honorio-França AC (2012). Breastfeeding and its relationship with reduction of breast cancer : A review. *Asian Pacific Journal of Cancer Prevention*, 13 (11), 5327-5332.
96. Frenea, S, Chiroset, C, Rodriguez, R, Baguet, JP, Racinet, C & Payen, JF. (2004). The effects of prolonged ambulation on labor with epidural analgesia. *Anesth Analg*, 98 (1), 224-229.
97. Freudenheim JL, Marshall JR, Graham S et al. (1994). Exposure to breastmilk in infancy and the risk of breast cancer. *Epidemiology*, 5 (3), 324-331.
98. Gdalevich M, Mimouni D & Mimouni M (2001). Breast-feeding and the onset of atopic dermatitis in childhood: A systematic review and meta-analysis of prospective studies. *J Am Acad Dermatol*, 45 (4), 520-527.
99. Gagnon AJ, Leduc G, Waghorn K, Yang H & Ward-Platt R(2005). In-hospital formula supplementation of healthy breastfeeding newborns. *Journal of Human Lactation*, 21, 397–405.
100. Godfrey JR & Lawrence RA (2010). Toward optimal health: The maternal benefits of breastfeeding. *J Womens Health*, 19 (9), 1597-1602.
101. Gomez JRA, Elorriaga IA, Fernandez-Ilebarez L, Fernandez AP, Avellanal CU & Sierra CO (2011). Episodios aparentemente letales en las primeras dos horas de vida durante el contacto piel con piel. Incidencia y factores de riesgo. *Prog Obstet Ginecol*, 54 (2), 55-59.
102. Grawey AE, Marinelli KA, Holmes AH and the Academy of Breastfeeding Medicine (2013). Clinical protocol #14 : Breastfeeding-friendly physicians offices : Optimizing care for infants and children. *Breastfeeding Medicine*, 8 (2), 237-242.
103. Halpern, SH, Levine, T, Wilson, DB, MacDonell, J, Katsiris, SE & Leighton, BL. (1999). Effect of labor analgesia on breastfeeding success. *Birth*, 26 (2), 83-88.
104. Hancox RJ, Stewart AW, Braithwaite I et al. (2014). Association between breastfeeding and body mass index at age 6-7 years in an international survey. *Pediatric Obesity*, 9 (online October 7), DOI: 10.1111/ijpo.266.
105. Handlin, L, Jonas, W, Petersson, M, Ejdebäk, M, Ransjö-Arvidson, AB, Nissen, E & Uvnäs-Moberg, K. (2009). Effects of sucking and skin-to-skin contact on maternal ACTH and cortisol levels during the second day postpartum-influence of epidural analgesia and oxytocin in the perinatal period. *Breastfeeding Medicine*, 4 (4), 207-220.
106. Hannula L, Kaunonen M, Koshinen K & Tarkka M-T (2010). Breastfeeding support for mothers and families during pregnancy and delivery and after delivery. A clinical practice guideline. *Nursing Research Foundation*, Finland, www.hotus.fi.
107. Hanson L (2004). *Immunobiology of human milk: How breastfeeding protects babies*. Amarillo (Texas): Pharmasoft.
108. Hauck FR, Thompson JMD, Tanabe KO, Moon RY & Venneman MM (2011). Breastfeeding and the reduced risk of sudden infant death syndrome : A meta-analysis. *Pediatrics*, 128, 103-110.
109. Henderson, JJ, Dickinson, JE, Evans, SF, McDonald, SJ & Paech, MJ. (2002). Impact of intrapartum epidural analgesia on breast-feeding duration. *Australian and New Zealand Journal of Obstetrics and Gynaecology*, 43, 372-377.
110. Herrera-Gomez A, Garcia-Martinez O, Ramos-Torrecillas J, De Luna-Bertos E, Ruiz C & Ocana-Peinado FM (2015). Retrospective study of the association between epidural analgesia during labour and complications of the newborn. *Midwifery*, <http://dx.doi.org/10.1016/j.midw.2015.02.013>.
111. Hodnett ED, Gates S, Hofmeyr GJ & Sakala C (2013). Continuous support for women during childbirth. *Cochrane Database of Systematic Reviews*, July 15; 7 : CD003766.

112. Horta BL & Victora C (2013). *Long-term effects of breastfeeding : A systematic review*. Geneva : WHO, ISBN 978 92 4 150530 7 Available at : www.who.int.
113. Horta BL, Loret de Mola C & Victora CG (2015). Breastfeeding and intelligence : A systematic review and meta-analysis. *Acta Paediatrica*, 104, 14-19.
114. Horta BL, Loret de Mola C & Victora CG (2015). Long-term consequences of breastfeeding on cholesterol, obesity, systolic blood pressure and type 2 diabetes : A systematic review and meta-analysis. *Acta Paediatrica*, 104, 30-37.
115. Howard CR, Howard FM, Lanphear B, Eberly S, de Blicke EA, Oakes D & Lawrence RA (2003). Randomized clinical trial of pacifier use and bottle-feeding or cupfeeding and their effect on breastfeeding. *Pediatrics*, 111, 511-518.
116. Howell, JC (2003). Epidural versus non-epidural analgesia for pain relief in labour. *Cochrane Database Review*, 2.
117. Howie, WO & McMullen, PC. (2006). Breastfeeding problems following anesthetic administration. *The Journal of Perinatal Education*, 15 (3), 50-57.
118. Humenick S, Hill P & Spiegelberg R (1998). Breastfeeding and health professional encouragement. *Journal of Human Lactation*, 14, 305-310.
119. Hunter, LP. (2002). Being with woman: a guiding concept for the care of laboring women. *JOGNN*, 31 (6), 650-657.
120. Ingram J, Rosser J & Jackson D (2005). Breastfeeding peer supporters and a community support group: evaluating their effectiveness. *Maternal and Child Nutrition*, 1, 111-8.
121. Instituto per l'infanzia & WHO (2003). Protection, promotion and support of breastfeeding in Europe. EUProject contract N.SPC2002359, Dublin, Ireland.
122. Ip S, Chung M, Raman G, Chew P, Maqula N, DeVine D, Trikalinos T & Lau J (2007). Breastfeeding and maternal and infant health outcomes in developed countries. *Evid Rep Technol Assess (Full Rep)*, 153 (April), 1-186.
123. Jonas, W, Johansson, LM, Nissen, E, Ejdebäck, M, Ransjö-Arvidson, AB & Uvnäs-Moberg, K. (2009). Effects of intrapartum oxytocin administration and epidural analgesia on the concentration of plasma oxytocin and prolactin, in response to suckling during the second day postpartum. *Breastfeeding Medicine*, 4 (2), 71-82.
124. Jonas, W, Nissen, E, Ransjö-Arvidson, AB, Matthiesen, AS & Uvnäs-Moberg, K. (2008). Influence of oxytocin or epidural analgesia on personality profile in breastfeeding women: a comparative study. *Arch Womens Mental Health*, 11, 335-345.
125. Jonas, W, Wiklund, I, Nissen, E, Ransjö-Arvidson, AB & Uvnäs-Moberg, K. (2007). Newborn skin temperature two days postpartum during breastfeeding related to different labour ward practices. *Early Human Development*, 83, 55-62.
126. Jordan, S, Emery, S, Watkins, A, Evans, ED, Storey, M & Morgan, G. (2009). Associations of drugs routinely given in labour with breastfeeding at 48 hours: analysis of the Cardiff Births survey, *BJOG*, 116 (12), 1622-1632.
127. Jordan, S. (2006). Infant feeding and analgesia in labour: the evidence is accumulating. *International Breastfeeding Journal*, 1 (25), 3 pages.
128. Jordan, S, Emery, S, Bradshaw, C, Watkins, A & Friswell, W. (2005). The impact of intrapartum analgesia on infant feeding. *BJOG*, 112 (July), 927-934.
129. Kair LR, Kenron D, Etheredge K, Jaffe AC & Phillip CA (2013). Pacifier restriction and exclusive breastfeeding. *Pediatrics*, 131 (4), e1101-e1107.
130. Karabulut E, Yalçın SS, Ozdemir-Geyik P & Karaagaoglu (2009). Effect of pacifier use on exclusive and any breastfeeding : A meta-analysis. *Turkish Journal of Pediatrics*, 51 (1), 35-43.
131. Karlson EW, Mandl LA, Hankinson SE & Grodstein F (2004). Do breast-feeding and other reproductive factors influence future risk of rheumatoid arthritis? Results from the Nurses' Health Study. *Arthritis Rheum.*, 50 (11), 3458-3467.

132. Kaunonen M, Hannula L & Tarkka M-T (2012). A systematic review of peer support interventions for breastfeeding. *Journal of Clinical Nursing*, 21, 1943-1954.
133. Kent G (2012). The nutritional adequacy of infant formula. *Clinical Lactation*, 3 (1), 21-25.
134. Kim Y, Choi J-Y, Lee K-M et al. (2007). Dose-dependent protective effect of breast-feeding against breast cancer among ever-lactated women in Korea. *European J Cancer Prevention*, 16, 124-129.
135. King TL & Pinger W (2014). Evidence-based practice for intrapartum care : The pearls of midwifery. *Journal of Midwifery and Women's Health*, 59, 572-585.
136. Kramer MS, Aboud F, Mironova E et al. (2008). Breastfeeding and child cognitive development : New evidence from a large randomized trial. *Arch Gen Psychiatry*, 65 (5), 578-584.
137. Kramer MS, Fombonne E, Igumnov S, Vanilovich I et al. (2008). Effects of prolonged and exclusive breastfeeding on child behavior and maternal adjustment: Evidence from a large, randomized trial. *Pediatrics*, 121 (3), e435-e440.
138. Kramer MS, Guo T, Platt RW et al. (2002). Breastfeeding and infant growth: Biology or bias? *Pediatrics*, 110 (2), 343-347.
139. Kramer MS & Kakuma R (2012). Optimal duration of exclusive breastfeeding. *Cochrane Database of Systematic Reviews*, 15 (8), CD003517.
140. Kronborg H, Vaeth M (2009). How are effective breastfeeding technique and pacifier use related to breastfeeding problems and breastfeeding duration?, *Birth*, 36 (1), 34-42.
141. Kronborg H, Vaeth M, Olsen J, Iversen L & Harder I (2007). Effect of early postnatal breastfeeding support: a cluster-randomized community based trial. *Acta Paediatrica*, 96, 1064-70.
142. Kronborg H, Maimburg RD & Vaeth M (2012). Antenatal training to improve breast feeding: A randomised trial. *Midwifery*, 28,784-790.
143. Kwan M, Buffler P, Abrams B et al. (2004). Breastfeeding and the risk of childhood leukemia: A meta-analysis. *Public Health Rep*, 119 (6), 521-535.
144. Labbock MH (2001). Effects of breastfeeding on the mother, *Pediatric Clinics of North America*, 48 (1), 143-158.
145. Leighton, BL & Halpern, SH. (2002). The effects of epidural analgesia on labor, maternal, and neonatal outcomes: a systematic review. *Am J Obstet Gynecol*, 186 (5 suppl nature), S69-77.
146. Léon-Cava N, Lutter C, Ross J, Martin L (2002). *Quantifying the benefits of breastfeeding : a summary of the evidence*. Washington (DC): Pan American Health Organization (PAHO).
147. Li DP, Du C, Zhang ZM, Li GX, Wang X, Li Pf, Cheng C, Liu YP & Zhao YS (2014). Breastfeeding and ovarian cancer risk : A systematic review and meta-analysis of 40 epidemiological studies. *Asian Pacific Journal Cancer Prevention*, 15 (12), 4829-4837.
148. Li R, Grummer-Strawn LM & Fein SB (2010). Do infants fed from bottles lack self-regulation of milk intake compared with directly breastfed infants? *Pediatrics*, 125 (6), e1386-e1393.
149. Li R, Fein SB, Chen J & Grummer-Strawn L (2008). Why mothers stop breastfeeding : Mothers' self-reported reasons for stopping during the first year. *Pediatrics*, 122, S69-S76.
150. Lieberman, E, Davidson, K & Lee-Parritz, A. (2005). Changes in fetal position during labor and their association with epidural analgesia. *Obstet Gyneco*, 105 (5, part 1), 974-982.
151. Lieberman, E. (2004). Epidemiology of epidural analgesia and caesarean delivery, *Clinical Obstetrics and Gynecology*, 47 (2), 317-331.
152. Lieberman, E & O'Donoghue, C. (2002). Unintended effects of epidural analgesia during labor: a systematic review. *Am J Obstet Gynecol*, 186 (5 suppl nature), S31-68.
153. Lind JN, Perrine CG & Li R (2014). Relationship between use of labor pain medications and delayed onset of lactation. *Journal of Human Lactation*, 30 (2), 167-173.

154. Lööf-Johanson M, Brudin L, Sundquist M & Rudebeck CE (2016). Breastfeeding associated with reduced mortality in women with breast cancer. *Breastfeeding Medicine*, 11 (6), 321-327.
155. Lowe, NK. (2002). The nature of labor pain. *Am J Obstet Gynecol*, 186 (5), S16-24.
156. Lu MC, Lange L, Slusser W, Hamilton J & Halfon N (2001). Provider encouragement of breast-feeding: Evidence from a national survey. *Obstetrics & Gynecology*, 97(2), 290–295.
157. Macdonald PD, Ross SR, Grant, L & Young D (2003). Neonatal weight loss in breast and formula fed infants. *Archives of Disease in Childhood: Fetal and Neonatal Edition*, 88, F472–F476.
158. MacFarlane, A, Young, S & Agaram, R (2007). Impaired breastfeeding and labour epidurals-is there really a link? *Anesthesia*, 62 (7), 750.
159. Martens PJ, & Romphf L (2007). Factors associated with newborn in-hospital weight loss: Comparisons by feeding method, demographics, and birthing procedures. *Journal of Human Lactation*, 23, 233-240.
160. Mauch CE, Scott JA, Margarey AM & Daniels LA (2012). Predictors of and reasons for pacifier use in first-time mothers : An observational study. *BMC Pediatrics*, 12 (1), 7-17.
161. Mayberry, LJ, Clemmens, D & De, A. (2002). Epidural analgesia side effects, co-interventions, and care of women during childbirth: a systematic review. *Am J Obstet Gynecol*, 186 (5), S81-93.
162. Montalto SA, Borg H Buttigieg-Said M & Clemmer EJ (2010). Incorrect advice : The most significant negative determinant on breast feeding in Malta. *Midwifery*, 26, e6-e13.
163. Morton J, Hall JY & Pessl M (2013-2014). Five steps to improve bedside breastfeeding care. *Nursing for Women's Health*, 17 (6), 479-488.
164. Murray, E. K., Ricketts, S., & Dellaport, J. (2007). Hospital practices that increase breastfeeding duration: Results from a population based study. *Birth*, 34(3), 202–211.
165. Nakao Y, Moji K, Honda S & Oishi K (2008). Initiation of breastfeeding within 120 minutes after birth is associated with breastfeeding at four months among Japanese women: A self-administered questionnaire survey. *International Breastfeeding Journal*, 3, 7 pages.
166. Nathoo T & Ostry A (2009). *The one best way? Breastfeeding history, politics, and policy in Canada*. Waterloo (Ontario) : Wilfrid Laurier University Press.
167. Neifert M & Bunik M (2013). Overcoming clinical barriers to exclusive breastfeeding. *Pediatric clinics of North America*, 60 (1), 115-145.
168. Nelson EAS, Yu L-M, Williams S and the International Child Care Practices Study Group Members (2005). International child care practices study : Breastfeeding and pacifier use. *Journal of Human Lactation*, 21 (3), 289-295.
169. Neovita group (2016). Timing of initiation, patterns of breastfeeding, and infant survival : prospective analysis of pooled data from three randomised trials. *The Lancet*, 4, e266-e275.
170. Noel-Weiss J, Courant G & Woodend A (2008). Physiological weight loss in the breastfed neonate : A systematic review. *Open Medicine*, 2, e11-e22.
171. Nylander G (2000). *Becoming a mother. From birth to six months*. Toronto : Celestial Arts.
172. O'Connor NR, Tanabe KO, Siadat MS & Hauck FR (2010). Pacifiers and breastfeeding. A systematic review. *Archives of Pediatric and Adolescent Medicine*, 163 (4), 378-382.
173. Ortega-Garcia JA, Ferris-Tortajada J, Torres-Cantero et al (2008). Full breastfeeding and pediatric cancer. *J Paediatr Child Health*, 44 (1-2), 10-13.
174. Owen CG, Wincup H, Gilg JA & Cook DG (2003). Effect of breastfeeding in infancy on blood pressure in later life: systematic review and meta-analysis. *BMJ*, 327, 1189-1195.
175. Owen CG, Martin RM, Whincup PH, Smith GD & Cook DG (2006). Does breastfeeding influence risk of type 2 diabetes in later life? A quantitative analysis of published evidences. *The American Journal of Clinical Nutrition*, 84, 1043-1054.
176. Owen CG, Martin RM, Whincup PH et al. (2005). Effect of infant feeding on the risk of obesity across the life course : A quantitative review of published evidence. *Pediatrics*, 115 (5), 1367-1377.

177. Paricio-Talayero JM, Lizan-Garcia M, Otero-Puime A, Benlloch-Muncharaz MJ, Beseler-Soto B, Sanchez-Palomares M, Santos Serrano L & Rivera LL (2006). Full breastfeeding and hospitalization as a result of infections in the first year of life. *Pediatrics*, 118 (1), e92–e99.
178. Parry JE, Ip DKM, Chau PY, Wu KM & Tarrant M (2016). Predictors and consequences of in-hospital formula supplementation for healthy breastfeeding infants. *Journal of Human Lactation*, 29 (4), 527-536.
179. Passanha A, D’Aquino-Benicio MH, Venancio SI & Guerreiro dos Reis MC (2015). Influence of the support offered to breastfeeding by maternity hospitals. *Rev Saude Publica*, 49, 85-95.
180. Peres KG, Cascaes AM, Nascimento GG & Victora CG (2015). Effect of breastfeeding on malocclusions : A systematic review and meta-analysis. *Acta Paediatrica*, 104, 54-61
181. Pisacane A, Continisio GI, Aldinucci M, D’Amora S & Continisio P (2005). A controlled trial of the father’s role in breastfeeding promotion. *Pediatrics*, 116, e494-e498.
182. Pound CM, Williams K, Grenon R, Aglipay M & Plint AC (2014). Breastfeeding knowledge, confidence, beliefs, and attitudes of Canadian physicians. *Journal of Human Lactation*, 30 (3), 298–309.
183. Prior E, Santhakumaran S, Gale C, Philipps LH, Modi N & Hyde MJ (2012). Breastfeeding after a cesarean delivery: A systematic review and meta-analysis of world literature. *American Journal of Clinical Nutrition*, 95 (5), 1113-1135.
184. Quigley MA, Kelly YJ & Sacker A (2007). Breastfeeding and hospitalization for diarrheal and respiratory infection in the United Kingdom Millennium Cohort Study. *Pediatrics*, 119 (4). Available at: www.pediatrics.org/cgi/content/full/119/4/e837.
185. Radzysinski, S. (2003). The effect of ultra low dose epidural analgesia on newborn breastfeeding behaviors. *JOGNN*, 32 (3), 322-331.
186. Ramakrishnan R, Oberg CN & Kirby RS (2014). The association between maternal perception of obstetric and pediatric care providers’ attitudes and exclusive breastfeeding outcomes. *Journal of Human Lactation*, 30 (1), 80-97.
187. Ransjö-Arvidson, AB, Matthiesen, AS, Lilja, G, Nissen, E, Widström, AM & Uvnäs-Moberg, K. (2001). Maternal analgesia during labor disturbs newborn behavior: effects on breastfeeding, temperature, and crying. *Birth*, 28 (1), 5-12.
188. Renfrew MJ, McCormick FM, Wade A, Quinn B & Dowswell T (2012). Support for healthy breastfeeding mothers with healthy term babies. *Cochrane Database of Systematic Reviews* 2012, Issue 5. Art. No.: CD001141. DOI: 10.1002/14651858.CD001141.pub4.
189. Requejo J & Black R (2014). Strategies for reducing unnecessary in-hospital supplementation and increasing rates of exclusive breastfeeding. *The Journal of Pediatrics*, 164 (6), 1256-1258.
190. Richardson H, Walker A & Horne R (2009). Minimizing the risks of sudden infant death syndrome : To swaddle or not to swaddle?, *The Journal of Pediatrics*, 155 (4), 475-481.
191. Riordan, J, Gross, A, Angeron, J, Krumwiede, B & Melin, J. (2000). The effect of labor pain relief medication on neonatal suckling and breastfeeding duration. *J Human Lactation*, 16 (1), 7-12.
192. Rosen-Carole C, Hartmann S & the Academy of Breastfeeding Medicine (2015). ABM clinical protocol No.18: Breastfeeding promotion in the prenatal setting, revision 2015. *Breastfeeding Medicine*, 10 (10), 451-454.
193. Rothman MK (1996). Women providers and control. *JOGNN*, 25 (3), 253-256.
194. Saddlemire S, Olshan AF, Daniels JL et al. (2006). Breast-feeding and Wilms tumor: A report from the Children’s Oncology group. *Cancer Causes and Control*, 17 (5), 687–693.
195. Salvador A, Dumas L, Davies B, Emard MJ, & Lortie K (2016). A dozen strategies along the Ten Steps Baby-Friendly Initiative journey, *Healthcare Quarterly*, 18 (4), 80-86.

196. Sankar MJ, Sinha B, Chowdhury R, Bhandari N, Taneja S, Martines J & Bahi R (2015). Optimal breastfeeding practices and infant and child mortality-A systematic review and meta-analysis. *Acta Paediatrica*, 104 (S467), 3-13.
197. Shealy KR, Li R, Benton-Davis S & Grummer-Strawn L (2005). *The CDC guide to breastfeeding interventions*. US Department of Health and Human Services, CDC, Division of Nutrition and Physical activity.
198. Sikorski J, Renfrew MJ, Pindonia S & Wade A (2003). Support for breastfeeding mothers : A systematic review. *Paediatric and Perinatal Epidemiology*, 17, 403-417.
199. Simmons SW, Cyna AM, Dennis AT & Hughes D. (2007). Combined spinal-epidural versus epidural analgesia in labour. *Cochrane Database Review System*, 18 (3).
200. Sinha B, Chowdhury R, Sankar MJ, Martines J, Taneja S, Mazumder S, Rollins N, Bahl R & Bhandari N (2015). Interventions to improve breastfeeding outcomes : A systematic review and meta-analysis. *Acta Paediatrica*, 104, 114-135.
201. Smith JP & Harvey PJ (2011). Chronic disease and infant nutrition : Is it significant to public health? *Public Health Nutrition*, 11 pages, DOI : 10.1017/S1368980010001953.
202. Smith J, Thompson JF, and Ellwood DA (2002). Hospital system costs of artificial infant feeding: Estimates for the Australian Capital Territory. *Aust NZ J Public Health*, 26 (6), 543-551.
203. Sobel HL, Iellamo AD, Raya RR, Padilla AA, Santa Ana 111 FA and Nyunt-U S (2012). The economic burden of infant formula on families with young children in the Philippines. *Journal of Human Lactation*, 28 (2), 174-180.
204. Sriraman N K & Kellams A (2016). Breastfeeding : What are the barriers ? Why women struggle to achieve their goals ? *Journal of Women's Health*, 25 (7), 714-722.
205. Statistics Canada (2014). *Maternal experiences module. Canadian Community Health Survey 2011-2012*. www.statcan.gc.ca/health.
206. Stokowski L (2014). Death from swaddling. *Medscape*, March 4 pages. Retrieved 2014-08-02 at www.medscape.com/viewarticle/821892.
207. Stolzer JM (2011). Breastfeeding and obesity : A meta-analysis. *Open Journal of Preventive Medicine*, 1 (3), 88-93.
208. Taveras E, Li R, Grummer-Strawn L, Richardson M, Marshall R, Rêgo VH, Miroshnik I & Lieu TA (2004). Opinions and practices of clinicians associated with continuation of exclusive breastfeeding. *Pediatrics*, 113 (4), e283-e290.
209. Thacker, SB & Stroup, DF. (2002). Methods and interpretation in systematic reviews: commentary on two parallel reviews of epidural analgesia during labor. *Am J Obstet Gynecol*, 186 (5), S78-80.
210. Strathearn L, Mamum AA, Najman JM & O'Callaghan MJ (2009). Does breastfeeding protect against substantiated child abuse and neglect? A 15-year cohort study. *Pediatrics*, 123, 483-493.
211. Stuebe A & Rich-Edwards JW (2010). The reset hypothesis: Lactation and maternal metabolism. *Amer. J Perinatol*, 26 (1), 81-88.
212. Stuebe AM, Willett WC, Xue F & Michels KB (2009). Lactation and the incidence of premenopausal breast cancer. *Arch Intern Med*, 169 (15), 1364-1371.
213. Stuebe A (2009). The risks of not breastfeeding for mothers and infants. *Review in Obstetrics and Gynecology*, 2 (4), 222-231.
214. Task force on sudden infant death syndrome (2011). SIDS and other sleep-related infant deaths: Expansion of recommendations for a safe infant sleep environment. *Pediatrics*, 128 (5), e1341-1367.
215. Tham R, Bowatte G, Dharmage SC, Tan DJ, Lau MXZ, Dai X, Allen KJ & Lodge CJ (2015). Breastfeeding and the risk of dental caries : A systematic review and meta-analysis. *Acta Paediatrica*, 104, 62-84.

216. Thomas DG (2014). Is breast best in the West of England? Use of linked routinely collected data sources to quantify the protective effect of breastfeeding against infectious gastrointestinal and respiratory illness during the first year of life. *The Lancet*, November 19, 78.
217. Torvaldsen, S, Roberts, CL, Simpson, JM, Thompson, JF & Ellwood, DA. (2006). Intrapartum analgesia and breastfeeding: a prospective cohort study. *International Breastfeeding Journal*, 1 (24), 7 pages.
218. Torvaldsen, S, Roberts, CL, Bell, JC & Raynes-Greenow, CH. (2004). Discontinuation of epidural analgesia late in labour for reducing the adverse delivery outcomes associated with epidural analgesia. *Cochrane Database Review System*, 18 (4).
219. UNICEF UK (2011). UNICEF UK response to media reports questioning the recommendation to introduce solid food to babies at 6 months. Response following Fewtrell et al article (BMJ, 2011, 342, c5955). www.babyfriendly.org.uk.
220. Vari PM, Camburn J & Henly SJ (2000). Professionally mediated peer support and early breastfeeding. *Journal of Perinatal Education*, 9 (1), 22-30.
221. Vennemann MM, Brinkmann B, Yucesan K et al. (2009). Does breastfeeding reduce the risk of sudden infant death syndrome? *Pediatrics*, 123 (3), e-406-e410.
222. Victora CG, Behague DP, Barros FC, Olinto MT & Weiderpass E (1997). Pacifier use and short breastfeeding duration: cause, consequence, or coincidence? *Pediatrics*, 99, 445-453.
223. Victora CG, Bahl R, Barros AJD, França GVA, Horton S, Krasevec J, Murch S, Sankar M, Walker N, Rollins N for The Lancet Breastfeeding Series Group (2016). Breastfeeding in the 21st century : Epidemiology, mechanisms, and lifelong effect. *The Lancet*, 387, 475-490.
224. Victora CG, Horta BL, Loret de Mola C, Quevedo L, Pinheiro RT, Gigante DP, Gonçalves H & Barros FC (2015). Association between breastfeeding and intelligence, educational attainment, and income at 30 years of age : A prospective birth cohort study in Brazil. *Lancet Global Health*, 3, e199-e205.
225. Volmanen, P, Valanne, J & Alahuhta, S. (2004). Breast-feeding problems after epidural analgesia for labour: a retrospective cohort study of pain, obstetrical procedures and breast-feeding practices. *Int J Obstet Anesth*, 13 (1), 25-29.
226. Wang L, Li J & Shi Z (2015). Association between breastfeeding and endometrial cancer risk : Evidence from a systematic review and meta-analysis. *Nutrients*, 7, 5697-5711.
227. Wiczorek, PM, Guste, S, Balki, M, Shah, V & Carvalho, JCA. (2010). Breastfeeding success rate after vaginal delivery can be high despite the use of epidural fentanyl: an observational cohort study. *Int J Obstet Anesth*, 19, 273-277.
228. Wigfield RE, Fleming PJ, Azaz YEZ, Howell TE, Jacobs DE, Nadin PS, McCabe R & Stewart AL (1993). How much wrapping do babies need at night?, *Archives of Diseases in Childhood*, 69, 181-186.
229. Wight N (2006). Hypoglycemia in breastfed neonates. *Breastfeeding Medicine*, 1, 253-262.
230. Wight N, Marinelli KA and the Academy of Breastfeeding Medicine (2014). Clinical protocol #1: Guidelines for blood glucose monitoring and treatment of hypoglycemia in the term and late-preterm neonates. *Breastfeeding Medicine*, 9 (4), 173-179.
231. Wiklund, I, Norman, M, Uvnäs-Moberg, K, Ransjö-Arvidson, AB & Andolf, E. (2007). Epidural analgesia: breast-feeding success and related factors. *Midwifery*, 25, e31-38.
232. Wilson, MJA, MacArthur, C, Cooper, GM, Bick, D, Moore, PS & Shennan, A, from the COMET study group. (2010). Epidural analgesia and breastfeeding: a randomised controlled trial of epidural techniques with and without fentanyl and a non-epidural comparison group, *Anaesthesia*, 65, 145-153.
233. Wolfberg AJ, Michels KB, Shields W, O'Campo P, Bronner Y & Bienstock J (2004). Dads as breastfeeding advocates: results of a randomized controlled trial of an educational intervention. *Am J Obstet Gynecol*, 191, 708-712.

234. World Health Organization. 54th World health Assembly (2001). Global strategy for infant and young child feeding: The optimal duration of exclusive breastfeeding. Geneva, Switzerland: World Health Organization.
235. World Health Organization (2002). The optimal duration of exclusive breastfeeding: Report of an expert consultation.
www.who.int/nutrition/publications/optimal_duration_of_exc_bfeeding_report_eng.pdf.
228. World Health Organization (2005). *Up to what age can a baby stay well nourished by just being breastfed?* Ask an expert, Online Q&A. Available at:
<http://www.who.int/features/qa/21/en/print.html>.
229. Zhang, J, Yancey, MK, Klebanoff, MA, Schwarz, J & Schweitzer, D. (2001). Does epidural analgesia prolong labor and increase risk of caesarean delivery? A natural experiment, *Am J Obstet Gynecol*, 185 (1), 128-134.
230. Zhou Y, Chen J, Li Q, Huang W, Lan H & Jiang H (2015). Association between breastfeeding and breast cancer risk : Evidence from a meta-analysis. *Breastfeeding Medicine*, 10 (3), 175-182